

Tree No	Species	Age Class	Height (m)	Trunk Diameter (mm)	Crown Spread (m)	Overall Condition	Defects and other Relevant Comments	Recommended Works	Priority (months)	Recommended Re-inspection Interval
18	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	150-300	10-15	Fair	Growing on roadside bank Bifurcated at ground level Ivy on trunk and in crown Major deadwood in crown	Remove deadwood Sever ivy	Important - within 6 months Routine - within 12 months	2 years
19	Pedunculate Oak <i>Quercus robur</i>	M	>20	>600	15-20	Good	Growing on bank Ivy on trunk Major deadwood in crown	Remove deadwood over road	Important - within 6 months	2 years
20	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	150-300	10-15	Fair	Growing on bank Ivy on trunk and in crown Major deadwood in crown but no significant target	Sever ivy	Routine - within 12 months	2 years
21	Hybrid Black Poplar <i>Populus x euroamericana</i>	M	>20	450-600	15-20	Fair	Growing at top of bank Ivy on trunk Major deadwood in crown and hung up branches in crown but no significant target Storm damage in crown	No works required at time of survey	N/A	2 years
22	English Elm <i>Ulmus procera</i>	SM	5-10	150-300	5-10	Dead	Growing on bank Ivy on trunk and in crown Major bark wound on trunk	Advise removal	Necessary - within 3 months	N/A
23	Common Ash <i>Fraxinus excelsior</i>	SM	15-20	150-300	10-15	Fair	Growing on bank Bifurcated at 1m above ground level Canker on trunk Crossing and rubbing branches Major deadwood in crown but no significant target Decay at base on roadside	Advise removal	Routine - within 12 months	N/A
24	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	300-450	10-15	Fair	Growing on bank Ivy on trunk and in crown Bifurcated at 4m above ground level Major deadwood in crown but no significant target	Sever ivy	Routine - within 12 months	2 years
25	Common Ash <i>Fraxinus excelsior</i>	EM	15-20	300-450	10-15	Fair	Growing on bank Ivy on trunk Bifurcated at 2.5m above ground level Minor deadwood in crown	Sever ivy	Routine - within 12 months	2 years

